INDEX

Page

Alfalfa—
black stem—
infection of varieties, selections, and hybrids 307–323
symptoms 307
inheritance of susceptibility to black stem 307–323
varieties, selections, and hybrids, reaction to *Ascochyta imperfecta*. L. P. Reitz, C. O. Grandfield, M. L. Peterson, G. V. Goodding, M. A. Arneson, and E. D. Hansing 307–323
Alternaria solani, susceptibility of tomatoes to, effect of nitrogen, phosphorous, and potassium. H. Rex Thomas 289–306
ANDREWS, JOHN S., and BURTON, GLENN W.: Recovery and Viability of Seeds of Certain Southern Grasses and Lespedeza Passed through the Bovine Digestive Tract 95–103
Aonidiella aurantii. *See* Scale, California red.
Apple—
Canada Red, radially unsymmetrical sport, segregation. V. R. Gardner, W. Toenjes, and M. Giefel 241–255
Golden Russet, variability and segregation. V. R. Gardner, W. Toenjes, M. Giefel, and J. C. Kremer 231–240
Grimes, russeted sports, segregation. V. R. Gardner, W. Toenjes, and M. Giefel. 225–229
orchard soil, nitrate-nitrogen content 4–11
tree—
foliage, nitrogen content at different seasons—
relation to fruit color 19–22, 23
relation to tree growth 19, 23
parts, nitrogen content at different seasons 11–18, 22–24
response to nitrogen fertilizer, rate at different seasons 19, 22–24
trees—
fruit set, effect of nitrogen application at different seasons 18
response to nitrogen applied at different seasons. J. R. Magness, L. P. Batjer, and L. O. Regeimbal 1–25
yield, effect of nitrogen application at different seasons 18
Apples—
bud sports, study 225–255
color, effect of nitrogen at different seasons 18–19, 23
russeting—
effect of seasonal conditions 234
relation to tree, branch, and spur differences 234–235
variations 226–229
variations, propagation trials 235–239
ARNESON, M. A., REITZ, L. P., GRANDFIELD, C. O., PETERSON, M. L., GOODDING, G. V., and HANSING, E. D.: Reaction of Alfalfa Varieties, Selections, and Hybrids to *Ascochyta imperfecta* 307–323
Ascochyta imperfecta—
cause of black stem of alfalfa 307
reaction of alfalfa varieties, selections, and hybrids to. L. P. Reitz, C. O. Grandfield, M. L. Peterson, G. V. Goodding, M. A. Arneson, and E. D. Hansing 307–323
ATKINS, I. M.: Inheritance of Weight per Unit Length of Culm and Other Characters in Kanred×Coppei Wheat 53–72

Page

Azotobacter, growth at pH levels below 6.0, limitation by available calcium. P. L. Gainey 265–270

Bacterium solanacearum, cause of bacterial wilt of tobacco 27
BATJER, L. P., MAGNESS, J. R., and REGEIMBAL, L. O.: Apple-Tree Response to Nitrogen Applied at Different Seasons 1–25
Black stem. *See* Alfalfa black stem.
Blissus leucopterus. *See* Chinch bug.
BONNER, J., STEWART, W. S., and HUMMER, R. W.: Yield, Composition, and Other Latex Characteristics of *Cryptostegia grandiflora* 105–127
Brassica campestris, host of alate forms of *Myzus persicae* in greenhouse. W. A. Shands and G. W. Simpson 165–173
BURTON, GLENN W., and ANDREWS, JOHN S.: Recovery and Viability of Seeds of Certain Southern Grasses and Lespedeza Passed through the Bovine Digestive tract 95–103
BYALL, S., VENTRE, EMIL K., and CATLETT, J. L.: Sucrose, Dextrose, and Levulose Content of Some Domestic Varieties of Sorgo at Different Stages of Maturity 145–151

Calcium, available, significance as factor limiting growth of *Azotobacter* at pH levels below 6.0. P. L. Gainey 265–270
California red scale. *See* Scale, California red.
CATLETT, J. L., VENTRE, EMIL K., and BYALL, S.: Sucrose, Dextrose, and Levulose Content of Some Domestic Varieties of Sorgo at Different Stages of Maturity 145–151
Cenangium sp., injury to pines 48–51
Ceratostomella ulmi—
cause of Dutch elm disease 175
spread by *Hylurgopinus rufipes* 175–182
Chinch bug—
biology, effect of different varieties and ages of sorghum. R. G. Dahms 271–288
preference for different sorghums 279, 280
CHRISTENSEN, F. W., HOPPER, T. H., and STEVENS, O. A.: Digestible Nutrients and Metabolizable Energy in Russian-Thistle Hays and Silages 73–93
Chromosomes, H, of *Nicotiana glutinosa* and *N. tabacum*, transfer of mosaic-resistance factor between. D. U. Gerstel 219–223
CLAYTON, E. E., and SMITH, T. E.: Inheritance of Resistance to Bacterial Wilt in Tobacco 27–32
COLLINS, DONALD L., PARKER, K. G., HAGMANN, LYLE E., TYLER, L. J., DIETRICH, HENRY, and OZARD, W. E.: The Association of *Hylurgopinus rufipes* with the Dutch Elm Disease Pathogen 175–183
Corn—
borer, European, larvae of early summer generation, resistance of hybrid dent corn to, contribution of inbred lines. L. H. Patch and Ray T. Everly 257–263
inbred lines, contribution to resistance of hybrid dent to larvae of early summer generation of European corn borer. L. H. Patch and Ray T. Everly 257–263
Cows, digestive tract, seeds passed through, recovery and viability 96–103

Page

Cryptostegia grandiflora—
latex—
composition and factors affecting 117–125
flow and exudation 106–112
obtaining from plant 106
yield and factors affecting 112–117
yield, composition, and other characteristics. W. S. Stewart, J. Bonner, and R. W. Hummer 105–127
plant, description 105–106
rubber formation in vitro, attempts 125
spp., interspecific reciprocal grafts, latex from, composition 123–125

DAHMS, R. G.: Effect of Different Varieties and Ages of Sorghum on the Biology of the Chinch Bug 271–288
DAVIS, GEORGE K., and MARSHALL, SIDNEY P.: Composition of Shark Meal 213–218
Dextrose content, sorgo, domestic varieties at different stages of maturity. Emil K. Ventre, S. Byall, and J. L. Catlett 145–151
DIETRICH, HENRY, PARKER, K. G., HAGMANN, LYLE E., COLLINS, DONALD L., TYLER, L. J., and OZARD, W. E.: The Association of *Hylurgopinus rufipes* with the Dutch Elm Disease Pathogen 175–183
Digestive tract, bovine, seeds passed through, recovery and viability. Glenn W. Burton and John S. Andrews 95–103
Dutch elm disease pathogen, association of *Hylurgopinus rufipes* with. K. G. Parker, Lyle E. Hagmann, Donald L. Collins, L. J. Tyler, Henry Dietrich, and W. E. Ozard 175–183

ELLIS, DON E., MCKENZIE, HOWARD L., and GILL, L. S.: The Prescott Scale (*Matsucoccus vexillorum*) and Associated Organisms That Cause Flagging Injury to Ponderosa Pine in the Southwest 33–51
Elm bark beetle—
European, carrier of Dutch elm disease pathogen 175, 181–182
native. See *Hylurgopinus rufipes*.
Energy, metabolizable, and digestible nutrients in Russian-thistle hays and silages. F. W. Christensen, T. H. Hopper, and O. A. Stevens 73–93
EVERLY, RAY T., and PATCH, L. H.: Contribution of Inbred Lines to the Resistance of Hybrid Dent Corn to Larvae of the Early Summer Generation of the European Corn Borer 257–263

Flagging injury of ponderosa pine, effect of Prescott scale and associated organisms in Southwest. Howard L. McKenzie, L. S. Gill, and Don E. Ellis 33–51

GAINEY, P. L.: The Significance of Available Calcium as a Factor Limiting Growth of *Azotobacter* at pH Levels below 6.0 265–270
GARDNER, V. R., TOENJES, W.:
and GIEFEL, M.: Segregation in a Radially Unsymmetrical Sport of the Canada Red Apple 241–255
and GIEFEL, M.: Segregation in Russeted Sports of the Grimes Apple 225–229
GIEFEL, M., and KREMER, J. C.: Variability and Segregation in the Golden Russet Apple 231–240
GERSTEL, D. U.: Transfer of the Mosaic-Resistance Factor between H Chromosomes of *Nicotiana glutinosa* and *N. tabacum* 219–223
GIEFEL, M., GARDNER, V. R.:
and TOENJES, W.: Segregation in a Radially Unsymmetrical Sport of the Canada Red Apple 241–255
and TOENJES, W.: Segregation in Russetted Sports of the Grimes Apple 225–229
TOENJES, W., and KREMER, J. C.: Variability and Segregation in the Golden Russet Apple 231–240

Page

GILL, L. S., MCKENZIE, HOWARD L., and ELLIS, DON E.: The Prescott Scale (*Matsucoccus vexillorum*) and Associated Organisms That Cause Flagging Injury to Ponderosa Pine in the Southwest 33–51
GOODDING, G. V., REITZ, L. P., GRANDFIELD, C. O., PETERSON, M. L., ARNESON, M. A., and HANSING, E. D.: Reaction of Alfalfa Varieties, Selections, and Hybrids to *Ascochyta imperfecta* 307–323
GRANDFIELD, C. O., REITZ, L. P., PETERSON, M. L., GOODDING, G. V., ARNESON, M. A., and HANSING, E. D.: Reaction of Alfalfa Varieties, Selections, and Hybrids to *Ascochyta imperfecta* 307–323
Grasses, southern, seeds passed through bovine digestive tract, recovery and viability. Glenn W. Burton and John S. Andrews 95–103
Guayule—
commercial strains, susceptibility to verticillium wilt 130–133
susceptibility to verticillium wilt and influence of soil temperature and moisture on development of infection. Henry Schneider 129–143
verticillium wilt—
soil-moisture studies 135–141
soil-temperature studies 134–135

HAGMANN, LYLE E., PARKER, K. G., COLLINS, DONALD L., TYLER, L. J., DIETRICH, HENRY, and OZARD, W. E.: The Association of *Hylurgopinus rufipes* with the Dutch Elm Disease Pathogen 175–183
HANSING, E. D., REITZ, L. P., GRANDFIELD, C. O., PETERSON, M. L., GOODDING, G. V., and ARNESON, M. A.: Reaction of Alfalfa Varieties, Selections, and Hybrids to *Ascochyta imperfecta* 307–323
Hays, Russian-thistle, digestible nutrients and metabolizable energy in. F. W. Christensen, T. H. Hopper, and O. A. Stevens 73–93
HOPPER, T. H., CHRISTENSEN, F. W., and STEVENS, O. A.: Digestible Nutrients and Metabolizable Energy in Russian-Thistle Hays and Silages 73–93
HUMMER, R. W., STEWART, W. S., and BONNER, J.: Yield, Composition, and Other Latex Characteristics of *Cryptostegia grandiflora* 105–127
Hylurgopinus rufipes—
association with Dutch elm disease pathogen. K. G. Parker, Lyle E. Hagmann, Donald L. Collins, L. J. Tyler, Henry Dietrich, and W. E. Ozard 175–183
damage to elms, comparison with *Scolytus multistriatus* 175, 181–182

Inheritance of—
resistance to bacterial wilt in tobacco. T. E. Smith and E. E. Clayton 27–32
susceptibility to black stem in alfalfa varieties, selections, and hybrids 307–323
weight per unit length of culm and other characters in Kanred×Coppei wheat. I. M. Atkins 53–72

KREMER, J. C., GARDNER, V. R., TOENJES, W., and GIEFEL, M.: Variability and Segregation in the Golden Russet Apple 231–240

Latex of *Cryptostegia grandiflora*, yield, composition, and other characteristics. W. S. Stewart, J. Bonner, and R. W. Hummer 105–127
Lespedeza seeds passed through bovine digestive tract, recovery and viability. Glenn W. Burton and John S. Andrews 95–103
Levulose content, sorgo, domestic varieties, at different stages of maturity. Emil K. Ventre, S. Byall, and J. L. Catlett 145–151

Page

MAGNESS, J. R., BATJER, L. P., and REGEIMBAL, L. O.: Apple-Tree Response to Nitrogen Applied at Different Seasons 1–25
Malus sylvestris. *See* Apple.
MARSHALL, SIDNEY P., and DAVIS, GEORGE K.: Composition of Shark Meal 213–218
Matsucoccus vexillorum and associated organisms causing flagging injury to ponderosa pine in Southwest. Howard L. McKenzie, L. S. Gill, and Don E. Ellis 33–51
MCKENZIE, HOWARD L., GILL, L. S., and ELLIS, DON E.: The Prescott Scale (*Matsucoccus vexillorum*) and Associated Organisms That Cause Flagging Injury to Ponderosa Pine in the Southwest 33–51
Medicago sativa. *See* Alfalfa.
Meiosis in microsporocytes of interspecific hybrids of *Solanum demissum* × *Solanum tuberosum* carried through four backcrosses, study. Leona O. Schnell 185–212
Mosaic-resistance factor in tobacco, transfer between H chromosomes of *Nicotiana glutinosa* and *N. tabacum*. D. U. Gerstel 219–223
MUNGER, FRANCIS: Reproduction and Mortality of California Red Scales Resistant and Nonresistant to Hydrocyanic Acid Gas, as Affected by Temperature 153–163
Myzus persicae—
  alate forms, production on *Brassica campestris* in greenhouse. W. A. Shands and G. W. Simpson 165–173
  injury to potatoes 165

Nicotiana glutinosa and *N. tabacum*, transfer of mosaic-resistance factor between H chromosomes. D. U. Gerstel 219–223
Nitrate-nitrogen content, soil of apple orchards 4–11
Nitrogen—
  applied to apple trees at different seasons, response of trees. J. R. Magness, L. P. Batjer, and L. O. Regeimbal 1–25
  content of apple tree parts at different seasons 11–18, 22–24
  effect on susceptibility of tomatoes to *Alternaria solani*. H. Rex Thomas 289–306
Nutrients, digestible, and metabolizable energy in Russian-thistle hays and silages. F. W. Christensen, T. H. Hopper, and O. A. Stevens 73–93

OZARD, W. E., PARKER, K. G., HAGMANN, LYLE E., COLLINS, DONALD L., TYLER, L. J., and DIETRICH, HENRY: The Association of *Hylurgopinus rufipes* with the Dutch Elm Disease Pathogen 175–133

PARKER, K. G., HAGMANN, LYLE E., COLLINS, DONALD L., TYLER, L. J., DIETRICH, HENRY, and OZARD, W. E.: The Association of *Hylurgopinus rufipes* with the Dutch Elm Disease Pathogen 175–183
Parthenium argentatum. *See* Guayule.
PATCH, L. H., and EVERLY, RAY T.: Contribution of Inbred Lines to the Resistance of Hybrid Dent Corn to Larvae of the Early Summer Generation of the European Corn Borer 257–263
Peach aphid, green. See *Myzus persicae*.
PETERSON, M. L., REITZ, L. P., GRANDFIELD, C. O., GOODDING, G. V., ARNESON, M. A., and HANSING, E. D.: Reaction of Alfalfa Varieties, Selections, and Hybrids to *Ascochyta imperfecta* 307–323
Phosphorus, effect on susceptibility of tomatoes to *Alternaria solani*. H. Rex Thomas 289–306
Pine, ponderosa—
  flagging injury caused by Prescott scale and associated organisms in Southwest. Howard L. McKenzie, L. S. Gill, and Don E. Ellis 33–51
  infestation, artificial, with *Matsucoccus vexillorum* 41–50
  twig flagging, effects 34–37
  twig flagging, histology 37–41

Page

Potassium, effect on susceptibility of tomatoes to *Alternaria solani*. H. Rex Thomas 289–306
Potato—
  hybrids, meiotic abnormalities 185–211
  See also *Solanum tuberosum*.
Potatoes—
  breeding for blight resistance 185–211
  Maine, *Myzus persicae* infestation, intermediate host 165–173
Prescott scale and associated organisms causing flagging injury to ponderosa pine in Southwest. Howard L. McKenzie, L. S. Gill, and Don E. Ellis 33–51

REGEIMBAL, L. O., MAGNESS, J. R., and BATJER, L. P.: Apple-Tree Response to Nitrogen Applied at Different Seasons 1–25
REITZ, L. P., GRANDFIELD, C. O., PETERSON, M. L., GOODDING, G. V., ARNESON, M. A., and HANSING, E. D.: Reaction of Alfalfa Varieties, Selections, and Hybrids to *Ascochyta imperfecta* 307–323
Rubber—
  formation in vitro, attempts with *Cryptostegia grandiflora* 125
  leaf, relation to whip latex rubber of *Cryptostegia grandiflora* 116–117
  See also Guayule.
Russian-thistle—
  feeds—
    apparent digestibility 81–82
    chemical composition and gross energy 78–79
  hays and silages, digestible nutrients and metabolizable energy in. F. W. Christensen, T. H. Hopper, and O. A. Stevens 73–93
  plant—
    chemical composition 74–76
    description 73–74
  rations—
    digestible nutrients 85–88
    metabolizable energy 83–85
Rutabaga, wild, host of alate forms of *Myzus persicae* in greenhouse 165–173

Salsola kali. *See* Russian-thistle.
Scale—
  California red—
    mortality, effect of temperature 157–162
    reproduction, effect of temperature 153–157
    resistant and nonresistant to hydrocyanic acid gas, reproduction and mortality, effects of temperature. Francis Munger 153–163
  Prescott, and associated organisms causing flagging injury to ponderosa pine in Southwest. Howard L. McKenzie, L. S. Gill, and Don E. Ellis 33–51
SCHNEIDER, HENRY: Susceptibility of Guayule to Verticillium Wilt and Influence of Soil Temperature and Moisture on Development of Infection 129–143
SCHNELL, LEONA O.: A Study of Meiosis in the Microsporocytes of Interspecific Hybrids of *Solanum demissum* × *Solanum tuberosum* Carried through Four Backcrosses 185–212
Scolytus multistriatus, carrier of Dutch elm disease pathogen 175, 181–182
Seeds passed through bovine digestive tract, recovery and viability. Glenn W. Burton and John S. Andrews 95–103
SHANDS, W. A., and SIMPSON, G. W.: The Production of Alate Forms of *Myzus persicae* on *Brassica campestris* in the Greenhouse 165–173
Shark meal—
  analysis 214–217
  composition. Sidney P. Marshall and George K. Davis 213–218
Sheep—
  calcium, phosphorus, and magnesium balances due to Russian-thistle feeding 88–90
  feeding Russian-thistle hays and silages 73–92
  nitrogen balances due to Russian-thistle feeding 82–83

Page

Silages, Russian-thistle, digestible nutrients and metabolizable energy in. F. W. Christensen, T. H. Hopper, and O. A. Stevens ... 73–93

SIMPSON, G. W., and SHANDS, W. A.: The Production of Alate Forms of *Myzus persicae* on *Brassica campestris* in the Greenhouse ... 165–173

SMITH, T. E., and CLAYTON, E. E.: Inheritance of Resistance to Bacterial Wilt in Tobacco ... 27–32

Soil—
in apple orchard, nitrate-nitrogen content, temperature and moisture, effect on development of verticillium wilt in guayule. Henry Schneider ... 4–11, 129–143

Solanum—
demissum—
cytological phenomena and characteristic breeding behavior ... 188
× *S. tuberosum* hybrids, interspecific, carried through four backcrosses, meiosis in, microsporocytes of, study. Leona O. Schnell ... 185–212
hybrids, breeding behavior and cytology ... 192–207
tuberosum—
cytological phenomena and characteristic breeding behavior ... 188–192
× *S. demissum* hybrids, interspecific, carried through four backcrosses, meiosis in, microsporocytes of, study. Leona O. Schnell ... 185–212
See also Potato.

Sorghum—
varieties—
and ages, effect on biology of chinch bug. R. G. Dahms ... 271–288
tolerance to chinch bug infestation ... 279, 281
variety and age of plant, effect on—
chinch bug longevity ... 283–284
chinch bug oviposition ... 283
mortality of chinch bug nymphs ... 285
rate of chinch bug nymphal development ... 284–285
size of chinch bug adults ... 284
See also Sorgo.

Sorghums—
varietal susceptibility to chinch bug under field conditions, comparison ... 273–274
variety, effect on—
chinch bug longevity ... 276
chinch bug nymph mortality ... 278–279
chinch bug oviposition ... 274–276
rate of chinch bug nymphal development ... 277–278
size of chinch bug adults ... 276–277

Sorgo—
domestic varieties, sucrose, dextrose, and levulose content at different stages of maturity. Emil K. Ventre, S. Byall, and J. L. Catlett ... 145–151
juices, analyses at different stages of maturity ... 147–150

Southwest, Prescott scale and associated organisms causing flagging injury to ponderosa pine. Howard L. McKenzie, L. S. Gill, and Don E. Ellis ... 33–51

STEVENS, O. A., CHRISTENSEN, F. W., and HOPPER, T. H.: Digestible Nutrients and Metabolizable Energy in Russian-Thistle Hays and Silages ... 73–93

STEWART, W. S., BONNER, J., and HUMMER, R. W.: Yield, Composition, and Other Latex Characteristics of *Cryptostegia grandiflora* ... 105–127

Page

Sucrose content, sorgo, domestic varieties, at different stages of maturity. Emil K. Ventre, S. Byall, and J. L. Catlett ... 145–151

THOMAS, H. REX: Effect of Nitrogen, Phosphorus, and Potassium on Susceptibility of Tomatoes to *Alternaria solani* ... 289–306

Tobacco—
breeding for resistance to—
bacterial wilt ... 27–32
mosaic ... 219–223
crosses, inheritance of resistance to bacterial wilt ... 30
flue-cured varieties, low wilt resistance, utilization ... 28–29
immunity to bacterial wilt, development ... 29, 31–32
inheritance of resistance to bacterial wilt. T. E. Smith and E. E. Clayton ... 27–32
parent, susceptible to bacterial wilt, relation to recovery of resistance ... 31
resistance to bacterial wilt, inheritance. T. E. Smith and E. E. Clayton ... 27–32
Samsoun, breeding for yield, translocation study ... 219–223

TOENJES, W., GARDNER, V. R.: and GIEFEL, M.: Segregation in a Radially Unsymmetrical Sport of the Canada Red Apple ... 241–255
and GIEFEL, M.: Segregation in Russeted Sports of the Grimes Apple ... 225–229
GIEFEL, M., and KREMER, J. C.: Variability and Segregation in the Golden Russet Apple ... 231–240

Tomatoes, susceptibility to *Alternaria solani*, effect of nitrogen, phosphorus, and potassium. H. Rex Thomas ... 289–306

TYLER, L. J., PARKER, K. G., HAGMANN, LYLE E., COLLINS, DONALD L., DIETRICH, HENRY, and OZARD, W. E.: The Association of *Hylurgopinus rufipes* with the Dutch Elm Disease Pathogen ... 175–183

VENTRE, EMIL K., BYALL, S., and CATLETT, J. L: Sucrose, Dextrose, and Levulose Content of Some Domestic Varieties of Sorgo at Different Stages of Maturity ... 145–151

Verticillium—
albo-atrum, cause of verticillium wilt of guayule ... 129
wilt, susceptibility of guayule to and influence of soil temperature and moisture on development of infection. Henry Schneider ... 129–143

Wheat—
crosses—
breaking strength, variability and inheritance ... 63–66
characters, interrelation ... 67–68
contingency studies ... 68–69
inheritance of characters ... 53–71
morphological characters, variability ... 57
morphological characters, variability and inheritance ... 66–67
weight per unit length, variability and inheritance ... 57–63
Kanred × Coppei, inheritance of weight per unit length of culm and other characters. I. M. Atkins ... 53–72
Wilt, bacterial, resistance, inheritance in tobacco. T. E. Smith and E. E. Clayton ... 27–32

O